



Styline

# Superior Showers

AFFORDABLE SHOWERS DESIGNED AND MANUFACTURED TO NZ SPECIFICATIONS



Classic

## Classic

The Classic is a semi-frameless fully adjustable pivot door. It's simple elegance is complementary to other bathroom fittings. It can be purchased as a screen only or as a shower enclosure. Special custom size screens are available on application.

### Features & Specifications include:

- Magnetic closing for good sealing
- Soft contours for easy cleaning
- Unobtrusive handle style
- Door drip seal
- Available in white only
- Standard width range 740 – 1050mm
- Standard screen height 1825mm

### Shower Enclosures:

900 x 900mm square  
1000 x 1000mm square  
1000 x 1000mm angle corner



Styline

## Styline

The Styline is a semi-frameless full adjustable pivot door. This stylish door with its bold chrome handle and soft flowing lines enhances the look of any bathroom. It can be purchased as a screen only or as a shower enclosure. Special custom size screens are available on application.

### Features & Specifications include:

- Magnetic closing for good sealing
- Soft contours for easy cleaning
- Chrome "D" handle and pivot caps
- Door drip seal
- Available in white and anodised chrome
- Standard width range 740 – 1050mm
- Standard screen height 1825mm

### Shower Enclosures:

900 x 900mm square  
1000 x 1000mm square  
1000 x 1000mm angle corner

# Curvline Slider

The Curvline Slider was designed to suit the smaller bathroom where door opening space is restricted. Its smart appearance is due to the large curved track and sill that throw lively light reflections off the standard anodised chrome finish. It is designed and manufactured to NZ Standard 4223.

## Features & Specifications include:

- Magnetic closing for good sealing
- Twin chrome "D" handles
- Quality gliding system including quality clip on guides for easy removal of door panels.
- Overall height on tray 1930mm
- Available with Superior Showers HiLo acrylic tray and chrome waste

## Shower Enclosures:

900 x 900mm  
1000 x 1000mm



Curvline Slider

# Curvline Pivot

The Curvline Pivot is the latest of our designs and is a very attractive door with its sweeping curved front and minimal extrusions. Like the Styline it incorporates Superior Showers' new "three screw" pivot anchor system to ensure the door does not drop after installation.

## Features & Specifications include:

- Magnetic closing for good sealing
- Soft contours for easy cleaning
- Chrome "D" handle and pivot caps
- Overall height on tray 1925mm
- Available in white and anodised chrome
- Door drip seal
- Available with a Superior Showers HiLo acrylic tray and chrome waste

## Shower Enclosures:

900 x 900mm square  
1000 x 1000mm square



Curvline Pivot

ALL SCREENS ARE DESIGNED AND MANUFACTURED TO NZ STANDARD SPECIFICATIONS





## Superior HiLo Acrylic Tray

Superior Showers designed the HiLo tray to be strong and functional. We do not prescribe to the unsightly 4 lipped, low profile trays that are convenient to manufacture.

Instead our unique acrylic trays have a high wall lip of 25mm to improve waterproofing behind the lining and a low sill lip of 6mm to improve waterproofing of the shower screen.

All HiLo trays are supplied with a standard waste, they can also be ordered with an easy clean waste.




## Tylon™ Shower Floor

The patented Tylon™ Floor was the first fully formed, self supporting tileable shower floor in NZ. It is produced from 5mm aluminium plate and comes in two centre waste hole sizes that fit either an easy clean waste or a wide flange gully trap waste system. It is particularly suitable for timber floors and is ideal for both new houses and renovations. Superior Showers supply the Tylon™ as a system including filler, waterproof sealant, tile adhesive and waste.

*For more information on the Tylon™ Shower Floor and other Superior Showers products go to our website*

**[www.superiorshowers.co.nz](http://www.superiorshowers.co.nz)**



**Superior Showers**



**Superior Showers**  
Keenan Road  
P.O. Box 9199, Tauranga  
Phone: 07 543 4600.  
Fax: 07 543 4601